IBM

IBM System x3200

Advanced Technology Attachment (SATA), near-line SATA or Serial Attached SCSI (SAS) hard disk drives (HDDs) depending on your reliability requirements. If a HDD or power supply fails, the x3200 can stay up and running with redundant power supplies and hot-swap SATA and SAS HDDs.

Protect your data, your investment
Standard on select models, integrated hardware RAID-0 or -1 provides protection for your business-critical data. Optional upgrades to RAID-5 or tape backup solutions are also available.

Manage your growth
The x3200 helps minimise management costs for distributed or remote applications. It supports industry-standard, IPMI-based systems management and the IBM Remote Supervisor Adapter (RSA) II for advanced hardware management – enabling your IT staff to do more with less.

Highlights

- *Affordable uni-processor tower server for medium-sized businesses or distributed large enterprises*

- *More availability and management features than other systems in its class*

- *Quad-core and dual-core Intel® Xeon® processors deliver high performance.*

The IBM System x3200 can help lower your IT costs throughout its business lifecycle. The x3200 is not only affordable to purchase, but it's also easy to manage and keep up to date.

Keep your business in business
With unprecedented system availability, the x3200 can help you maximise uptime for your file and print or network infrastructure applications. Select Serial

---

Get it **now**

go to **ibm.com**/systems/uk/x/ or call IBM at 0870 010 2508

to buy direct or to locate an IBM reseller

IBM System x3200 at a glance

Form factor/height	Tower/5U
Processor (level 2 (L2) cache/CPU GHz/front-side bus MHz max)	Quad-Core Intel Xeon (2x4MB/2.13 GHz/1066 MHZ), Dual-Core Intel Xeon (4MB/up to 2.4 GHz/1066 MHz), Intel Pentium® D (dual-core) (2x2MB/up to 3.4 GHz/800 MHz) or Intel Pentium 4 (1MB/3.2 GHz/800 MHz)
Number of processors (std/max)	1/1
Memory[1] (max)	Up to 8GB double data rate (DDR) II 667 MHz
Expansion slots	3 PCI and 2 PCI-Express (x8, x1) Dedicated RSA II slot Slotless hardware RAID-0, -1
Disk bays (total/hot-swap)	Four 3.5" simple-swap or hot-swap SATA HDDs or four 2.5" or 3.5" hot-swap SAS HDDs
Maximum internal storage[1,2]	Up to 1.2TB SAS HDDs or up to 3.0TB SATA HDDs
Network interface	Integrated Gigabit Ethernet (GbE)
Power supply (std/max)	400W 1/1 or 430W hot-swap redundant 2/2 (model dependent)
Hot-swap components	HDDs, power supplies (model dependent)
RAID support	Integrated hardware RAID-0, -1 (model dependent) Optional upgrade to RAID-5 and RAID-6
Ports	Front: Two USB Rear: Four USB; one Ethernet; two serial; one parallel; keyboard and mouse
Systems management	IPMI 1.5-compliant mini-BMC, IBM Director, Alert Standard Format 2.0, IBM ServerGuide, optional RSA II and optional Remote Deployment Manager
Operating systems supported	Microsoft® Windows® Server 2003 Standard Edition/Enterprise Edition, Windows Small Business Server 2003, Red Hat Enterprise Linux®, SUSE Linux Enterprise Server, Novell NetWare, IBM OS 4690
Limited warranty[3]	One year or three year on-site limited warranty (model dependent)

For more information:

System x home	**ibm.com**/systems/uk/x/
Options	**ibm.com**/servers/eserver/serverproven/ compat/us
Find your BP	http://d03bphrb.partner.boulder.ibm.com/

[1] Maximum internal hard disk and memory capacities may require the replacement of any standard hard drives and/or memory and the population of all hard disk bays and memory slots with the largest capacity supported drives available. When referring to variable speed CD-ROMs, CD-Rs, CD-RWs and DVDs, actual playback speed will vary and is often less than the maximum possible.

[2] GB and TB = 1,000,000,000 and 1,000,000,000,000 bytes, respectively, when referring to storage capacity. Accessible capacity is less.

[3] IBM Warranty information: For a copy of applicable product warranties, contact your local IBM sales representative or visit: **ibm.com**/servers/support/machine_warranties IBM makes no representation or warranty regarding third-party products or services. Telephone support may be subject to additional charges. For on-site labour, IBM will attempt to diagnose and resolve the problem remotely before sending a technician.

The IBM home page can be found at **ibm.com**